

Fluorescent T8 (Meat) F30W T8 176 FoodStar Meat 0001856

Product features

· Features a specifically tailored spectrum that complements the natural colours of meats

















NOTES

undefined

PRODUCT OVERVIEW

| Product name | F30W T8 176 FoodStar Meat |
|----------------------------|--------------------------------|
| Technology | Fluorescent |
| Lamp shape | Tubular shape |
| Cap/Base | G13 |
| Lamp finish | Frosted/Coated |
| Fixture rating | Open |
| General application | SPG |
| ETIM Class | EC000108 |
| E-number FI | 4940486 |
| E-number Norway | 3815458 |
| Colour temperature (K) | 3000 |
| Light colour | Foodstar Meat |
| Wattage (W) | 30.00 |
| Dimmable | Yes |
| Dimming method | Mains: leading / trailing edge |
| Average life (Nominal) (h) | 24000 |
| Product EAN number | 5410288018560 |

DATA TABLE

| General data | |
|----------------|---------------------------|
| Product name | F30W T8 176 FoodStar Meat |
| Technology | Fluorescent |
| Lamp shape | Tubular shape |
| Cap/Base | G13 |
| Lamp finish | Frosted/Coated |
| Fixture rating | Open |



Fluorescent T8 (Meat) F30W T8 176 FoodStar Meat 0001856

| General application | SPG |
|---|--------------------------------|
| ETIM Class | EC000108 |
| E-number FI | 4940486 |
| E-number Norway | 3815458 |
| · | |
| Optical data | |
| Ambient temperature for maximum | 25 |
| luminous flux (°C) | 25 |
| Colour temperature (K) | 3000 |
| Light colour | Foodstar Meat |
| Adjustable chromaticity | N |
| , | |
| Electrical data | |
| Wattage (W) | 30.00 |
| Current (A) | 0.365 |
| Primary Supply/Product voltage - min (V) | 86.0 |
| Primary Supply/Product voltage - min (v) Primary Supply/Product voltage - max | 106.0 |
| (V) | 100.0 |
| Control gear required | Yes |
| Dimmable | Yes |
| Dimming method | Mains: leading / trailing edge |
| Drive current (mA) | 365 |
| Divo carrone (iii) (| |
| Lifetime data | |
| Average life (Nominal) (h) | 24000 |
| Avoidge me (Nomman) (n) | 24000 |
| Physical data | |
| • | 900.0 |
| Nominal Product Length (mm) | 26 |
| Nominal Product Diameter (mm) | 894.4 |
| Max. Length base to base (mm) - A | |
| Length base to pin Min-Max (mm) - B | 899.3-901.7 |
| Max. Lamp Length (mm) - C/L | 908.8 |
| Max. Lamp Diameter (mm) - D | 28.0 |
| Weight (kg) | 0.122 |
| Packaging | |
| | |
| Product EAN number | 5410288018560 |
| Packaging single length / height (cm) | 90.9 |
| Packaging single width (cm) | 2.9 |
| Packaging single depth (cm) | 2.8 |
| DUN14 (outer) | 15410288018567 |
| Units per outer package | 25 |
| Packaging outer length / height (cm) | 93.5 |
| Packaging outer width (cm) | 15.5 |
| Packaging outer depth (cm) | 15.0 |
| Cafatri data | |
| Safety data | |
| | |
| Lamp mercury content (mg) | 9.00 |



Fluorescent T8 (Meat) F30W T8 176 FoodStar Meat 0001856

Recommendation for disposal at end of life

Special purpose lamp
Yes
Intended purpose
Suitable for household illumination
No

TECHNICAL DRAWINGS

